


## Computer Problem #2: PDE and Method of Characteristics

**Distributed Thursday September 24, 2020**  
**Due Tuesday October 6, 2020**

1. Classify the following system of equations using matrix method as well as the auxiliary equation method.

$$\begin{aligned}\frac{\partial u}{\partial t} + 8 \frac{\partial v}{\partial x} &= 0 \\ \frac{\partial v}{\partial t} + 2 \frac{\partial u}{\partial x} &= 0\end{aligned}$$

2. Consider the situation in which a uniform inviscid supersonic flow with free-stream Mach number  $\sqrt{2}$  encounters a sine wave wrinkle in the floor of a wind tunnel, as shown in the sketch below:



The this type of steady flow is governed by the linear equations:

$$\begin{aligned}\frac{\partial u}{\partial x} - \frac{\partial v}{\partial y} &= 0 \\ \frac{\partial v}{\partial x} - \frac{\partial u}{\partial y} &= 0\end{aligned}$$

where  $u$  and  $v$  are perturbation velocity components in the  $x$ - and  $y$ -directions, respectively. Let us assume that, prior to encountering the sine-wave from the left, no perturbations are introduced into the flow so that  $u = 0$  and  $v = 0$  along  $x = 0, y > 0$ . Further, let the velocity normal to the free stream at the lower boundary be given by:

$$v(x, y = 0) = \frac{2\pi\epsilon}{L^2} \cos\left(\frac{2\pi x}{L}\right) \quad 0 \leq x \leq L$$

(Note that the above condition may be applied at  $y = 0$  because the perturbation velocities are assumed to be small.)

Determine the solution for the perturbation velocities using the method of characteristics, assuming that  $\epsilon = 1, L = 100\Delta x$ , and  $\Delta x = \Delta y = 0.1$ .

Set up a computational grid with  $101 \times 101$  grid points. Write a computer code to calculate the values of  $u$  and  $v$  at all grid points and plot the fields using contours.

Strategy: Derive the characteristic and compatibility equations and associated conservative quantities (called Riemann invariants), and then make a sketch of the net of characteristic curves. Knowing what is conserved along the characteristics, apply the boundary conditions to determine the constants of integration and then determine  $u$  and  $v$  at each point in the mesh, beginning at the left edge and proceeding in the  $x$  direction (be cautious at the point  $0,0$ ).

Your computer code should solve for the entire net of points, and you should make 2-D contour plots (using your favorite contouring program) of solution  $u$  and  $v$  and hand them in together with figure captions.

Pay attention to the coding style and code performance, and hand in your computer code with your report.

Please create a single PDF file (scan if necessary) containing the discussions and graphic plots, and email it to [mxue@ou.edu](mailto:mxue@ou.edu).