


Lesson 1: Hodograph Fundamentals




Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)

Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)

LCH 230124/1900 (Observed)

Wind Barbs

Hodograph



What is a Hodograph?

Hodograph: Plot of vertical wind shear (change in wind speed/direction) with height

What is a Hodograph?

Hodograph: Plot of vertical wind shear (change in wind speed/direction) with height

- Highly useful tool for assessing wind shear, storm-relative winds, and horizontal vorticity (more to come on this)


What is a Hodograph?

Hodograph: Plot of vertical wind shear (change in wind speed/direction) with height

- Highly useful tool for assessing wind shear, storm-relative winds, and horizontal vorticity (more to come on this)
- Hodograph length and shape have direct implications on storm mode, evolution, and overall behavior (more to come on this)

Plotting a Hodograph


Plotting a Hodograph




Wind speed increases radially outward from the origin

Axes represent zonal and meridional directions


Plotting a Hodograph




Given a southeasterly surface wind,




Plotting a Hodograph



Start at the origin, then draw a wind vector toward the direction the wind is blowing!




Plotting a Hodograph




1. Take these wind barbs

Plotting a Hodograph




1. Take these wind barbs and **convert them to vectors**

Plotting a Hodograph




2. Plot wind vectors



Plotting a Hodograph


3. Connect the tips of the wind vectors

(This is the **vertical shear vector**!)



Plotting a Hodograph


The longer the shear vector,
the stronger the shear!



Plotting a Hodograph


4. Draw all shear vectors

(This traces out the hodograph)




Plotting a Hodograph

The hodograph is a plot of vertical shear with height!




Plotting a Hodograph

In practice, the wind vectors are not plotted, just the hodograph!



Plotting a Hodograph


Hodographs are often color-coded by level:



Plotting a Hodograph


Now it's your turn!

Click on the hodograph to draw the wind vector:





Plotting a Hodograph

You got it, Keep going!




Plotting a Hodograph


Yes! How about this one?




Plotting a Hodograph




Correct! Click the final point to complete the hodograph!



Plotting a Hodograph




That was a ~breeze~ :)



Plotting a Hodograph

Where is the strongest vertical shear located in this hodograph?

- a. 3-6 km layer
- a. 1-3 km layer
- a. Sfc-1 km layer



Plotting a Hodograph


Where is the strongest vertical shear located in this hodograph?

a. 3-6 km layer





a. 1-3 km layer

a. Sfc-1 km layer


Correct!





Where Can You Find Hodographs?




Observed Soundings




VWP Data



SPC Mesoanalysis




Model Data



Hodograph Fundamentals Summary

1. Hodograph is a plot of vertical wind shear with height.
1. The length and shape of the hodograph have direct implications on storm mode, evolution, and overall behavior (more to come on this).
1. Understand how a hodograph is plotted.

Lesson 2: Bulk Shear




Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)

Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)

Bulk Shear


Bulk Shear is the difference in wind between *any* two levels on the hodograph



Bulk Shear


Bulk Shear is the difference in wind between *any* two levels on the hodograph

In this case, we have ~60 kts of 0-6 km bulk shear



Bulk Shear


Draw a 0-3 km shear vector!



Bulk Shear


Draw a 0-3 km shear vector!

Excellent!!




Bulk Shear

How much of the hodograph matters for convective storms?



Bulk Shear


Generally, shear only matters up to the **equilibrium level**.



Bulk Shear

Generally, shear only matters up to the **equilibrium level**.


In this case, we can neglect shear above 8 km.



Bulk Shear


Generally, shear only matters up to the **equilibrium level**.

In this case, we can neglect shear above 8 km.



Bulk Shear


Generally, shear only matters above the **effective inflow base**.



Bulk Shear

Generally, shear only matters above the **effective inflow base**.


In this case, we can neglect shear below 800 m



Bulk Shear

Generally, shear only matters above the **effective inflow base**.


In this case, we can neglect shear below 1 km.



Bulk Shear


Generally, shear only matters above the **effective inflow base**.

In this case, we can neglect shear below 1 km.



Bulk Shear


Effective Bulk Shear takes into account *both* the equilibrium level and effective inflow base.



Bulk Shear


Effective Bulk Shear takes into account *both* the equilibrium level and effective inflow base.

It's useful in a wide variety of scenarios, including shallow or elevated storms.





Bulk Shear

Which hodograph has stronger 0-6 km shear?




Bulk Shear

Which hodograph has stronger 0-6 km shear?





Bulk Shear

Which hodograph has stronger 0-1 km shear?



Bulk Shear


Nice job!



Storm Strength

Stronger bulk shear can create convective storms that are:

- Stronger
- Larger
- More organized
- Longer-lived




Storm Strength

Stronger bulk shear can create convective storms that are:



- Stronger
- Larger
- More organized
- Longer-lived

...and more hazardous!




Storm Strength

Stronger shear can support supercells and organized convective systems



Storm Strength

Weak shear may only support brief, weakly-organized storms




Bulk Shear Summary

1. Bulk shear is the difference in wind between two levels
2. Shear matters to storms between the Eff. Inflow Base and EL
3. Effective bulk shear is a good “go-to” bulk shear parameter
4. Stronger shear can support more hazardous storms



Hodograph Shapes

The shape of the hodograph can help us determine what types of storms are favored and how they will evolve




Straight Hodograph

z




Unidirectional wind profile, straight hodograph



Straight Hodograph



Unidirectional wind profile, straight hodograph





Straight Hodograph



Supports mirror-image splitting storms



Straight Hodograph



Storms split apart from the shear vector!



Straight Hodograph

z





Veering wind profile, still a straight hodograph!

Straight Hodograph





Supports both left-moving and right-moving storms (and many cell interactions!)

Quarter-Circle Hodograph





Weakly veering wind profile, clockwise-curved hodograph.
Found in warm-air advection regimes.

Half-Circle Hodograph



Strongly veering wind profile, clockwise-curved hodograph.
Found in strong warm-air advection regimes and warm-core systems.



Half-Circle Hodograph



Typically supports right-moving storms only



Counter-Clockwise Curved Hodograph

z





Backing wind profile, counter-clockwise curved hodograph.
Found in cold-air advection regimes.

Counter-Clockwise Curved Hodograph



Supports splitting storms, with dominant left-movers



N-Shaped Hodograph



Veer-back wind profile.

Found in the wakes of midlevel troughs, CFAs, and in cold-core systems.

N-Shaped Hodograph




Supports splitting storms, with dominant right-movers

Hodograph Shape

Compared to hodograph #1, how might storms behave differently with hodograph #2 (all else being equal)?

- a. Storms would split faster
- a. Left-movers would be more dominant
- a. Storms wouldn't behave much differently




Hodograph Shape

Compared to hodograph #1, how might storms behave differently with hodograph #2 (all else being equal)?

- a. Storms would split faster
- a. Left-movers would be more dominant
- a. Storms wouldn't behave much differently

You got it!





Hodograph Shape

Which hodograph would favor a right-moving storm?

a. Hodograph 2

a. Hodograph 1

a. Neither of these hodographs favor RM



Hodograph Shape



Which hodograph would favor a right-moving storm?

a. Hodograph 2

a. Hodograph 1


a. Neither of these hodographs favor RM

Great work!



Hodograph Variability

Synoptic pattern is important!




Cold-air advection:
backing wind profile

Warm-air advection:
veering wind profile

Think thermal wind!


Hodograph Variability

How would you expect a hodograph to look at each point?



Hodograph Variability


Did they look something like this?



Hodograph Variability


Hodograph shape can vary considerably over a given area

Use a hodograph map for this!



Hodograph Variability



Hodograph shape
can change quickly
over time!



Hodograph Shape Summary

1. Hodograph shape is directly related to the vertical wind profile.
1. It is the shape of the hodograph that matters, not the orientation of the hodograph itself (all else being equal).
1. Straight hodographs favor splitting storms, clockwise curvature favors RM, counterclockwise curvature favors LM.
1. Synoptic and mesoscale pattern/features influence hodograph shape.

Lesson 4: Storm Motion




Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)

Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)


Finding Storm Motion

Some *predictions* of storm motion can be calculated from the hodograph!




Finding Storm Motion

Some *predictions* of storm motion can be calculated from the hodograph!




Finding Storm Motion

Some *predictions* of storm motion can be calculated from the hodograph!




Finding Storm Motion

Some *predictions* of storm motion can be calculated from the hodograph!



Mean Wind


Initially, a good approximation for storm motion is the mean wind



Mean Wind

How to find the mean wind:


Take the average of points along the hodograph (in this case, we'll do 0-6 km)



Mean Wind


How to find the mean wind:

Take the average of points along the hodograph (in this case, we'll do 0-6 km)




Mean Wind

For a curved hodograph, the mean wind may lie “off the hodograph”




Deviant Motion

Supercells can propagate **deviantly** from the mean wind, due to their internal dynamics



Bunkers Motion


We can predict supercell motion using the Bunkers method:



Bunkers Motion

We can predict supercell motion using the Bunkers method:


1. Find the mean wind



Bunkers Motion

We can predict supercell motion using the Bunkers method:

1. Find the mean wind
2. Draw the deep-layer shear vector*
3. Deviate left / right from this vector (by about 15 kts*)




*these are approximations

Bunkers Motion

We can predict supercell motion using the Bunkers method:


1. Find the mean wind
2. Draw the deep-layer shear vector*
3. Deviate left / right from this vector (by about 15 kts*)



*these are approximations

Deviant Motion


Deviant storm motion also associated with:
-boundaries



Deviant Motion

Deviant storm motion also associated with:


- boundaries
- cold pools



Deviant Motion

Deviant storm motion also associated with:


- boundaries
- cold pools
- cell interactions



Storm Motion

Now you try:

Estimate the mean wind for
this hodograph:




Storm Motion

Now you try:

Now, estimate the motion of a *right-moving* supercell:

(hint: deviate by ~15 kts)




Storm Motion

Now you try:

Now, estimate the motion of a *right-moving* supercell:

You were “right” :)




Storm Motion

What about this scenario?

You're using Bunkers' storm motion to estimate the potential path of an intensifying bow echo. Is this a good idea?



- a. Yes
- b. No



Storm Motion Summary

1. Initially, the mean wind is a good estimate of storm motion
1. Bunkers' storm motion is an estimation of supercell motion
1. Boundaries, convective systems, and cell interactions may also affect storm motion

Lesson 5: Storm-Relative Winds





Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)

Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)

Storm-Relative Winds

What are storm-relative winds?

These are the winds a storm actually *feels* when it's moving!



Storm-Relative Winds

What are storm-relative winds?



These are the winds a storm actually *feels* when it's moving!



Storm-Relative Winds

What are storm-relative winds?

These are the winds a storm actually *feels* when it's moving!




Finding Storm-Relative Winds

How do we find storm-relative winds?

V = Ground Relative Wind

C = Storm Motion




Finding Storm-Relative Winds

How do we find storm-relative winds?

V = Ground Relative Wind

C = Storm Motion

V - C = Storm Relative Wind!



Finding Storm-Relative Winds


How do we find storm-relative winds?

V = Ground Relative Wind

C = Storm Motion

$V - C = \text{Storm Relative Wind!}$


(we are subtracting out storm motion!)



Finding Storm-Relative Winds

How do we find storm-relative winds?


Simply draw a vector from **storm motion** to desired point on the hodograph



Finding Storm-Relative Winds

How strong is this storm-relative wind?


It's hard to tell



Finding Storm-Relative Winds

To help measure the storm-relative winds, we can use a **storm-relative** hodograph!


Shift the origin of the hodograph to the storm motion



Storm-Relative Winds

Why is **storm-relative wind** important?



It directly governs storm structure!



Storm-Relative Winds **and Storm Structure**



Storm-Relative Inflow

SR Inflow is the wind in the lower levels of a storm, where mass enters the storm





Storm-Relative Inflow

The direction of inflow can help determine whether or not a storm has access to “clean”, unstable air



Storm-Relative Inflow

The direction of inflow can help determine whether or not a storm has access to “clean”, unstable air





Storm-Relative Inflow

This storm is “anchored” to a boundary. Is its inflow air from the unstable or stable side?

a. Stable

b. Unstable





Storm-Relative Inflow

This storm is “anchored” to a boundary. Is its inflow air from the unstable or stable side?



a. Stable

b. Unstable




Storm-Relative Inflow

Stronger inflow can sustain larger storms with more precipitation





Storm-Relative Inflow

Inflow > 40 kts can support particularly large supercells




Storm-Relative Inflow

Weaker inflow often only supports smaller updrafts or “mini-supercells” with less precipitation



Storm-Relative Inflow



Inflow < 25 kts is often associated with mini-supercells



Storm-Relative Inflow

Generally, larger storms can produce more significant hazards



More severe





Storm-Relative Inflow

Think you've got it figured out?

Match the supercell with its most likely hodograph:






(shown to scale)




Storm-Relative Inflow

You did it!!



1.





2.

(shown to scale)



Storm-Relative Outflow

SR Outflow is the wind in the upper levels of a storm, where mass exits the storm




Storm-Relative Outflow

Stronger outflow can improve precipitation ventilation, supporting better updraft/downdraft separation





Storm-Relative Outflow

Outflow > 40 kts is particularly strong




Storm-Relative Outflow

Weaker outflow can limit precipitation ventilation, inducing downdrafts close to the updraft





Storm-Relative Outflow

Outflow < 20 kts is particularly weak




Storm-Relative Outflow

Multidirectional outflow can disperse precipitation fallout, inducing broader, more obstructive downdrafts





Storm-Relative Outflow

Excessive veering can make a storm appear more high-precipitation




Storm-Relative Outflow

Unidirectional outflow can focus precipitation fallout, supporting less obstructive downdrafts



Storm-Relative Outflow



Backing shear aloft can make a storm appear more low-precipitation



Storm-Relative Outflow

Generally, less obstructive downdrafts can support longer-lived tornadoes.


Longer-lived tornadoes





Storm-Relative Outflow

Here's an example for you!

Match the supercell with its most-likely hodograph:




(shown to scale)




Storm-Relative Outflow

Yes! Nice work!!





(shown to scale)



Storm-Relative Inflow and Outflow

This was the same storm, just two hours apart.


Match the radar presentation with its most likely storm motion:



Storm-Relative Inflow and Outflow

That's right!!


You're *relatively* good at this :)



Storm-Relative Winds Summary


1. Storm-relative winds govern storm structure
2. Storm-relative inflow can affect a storm's size, and how much precipitation it can produce
3. Storm-relative outflow can affect precipitation ventilation, downdraft placement, and tornado maintenance

Lesson 6: Horizontal Vorticity




Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)

Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)





Finding Horizontal Vorticity

How do we find horizontal vorticity on the hodograph?





Shear and Horizontal Vorticity

Vertical Wind Shear




Shear and Horizontal Vorticity

Vertical Wind Shear



Shear and Horizontal Vorticity



Vertical Wind Shear



Induces


Horizontal Vorticity

(Horizontal vortex tubes into the page)




Shear and Horizontal Vorticity

Horizontal vorticity vectors
are always perpendicular and
to the left of the **shear**
vectors




Finding Horizontal Vorticity

How do we find horizontal vorticity on the hodograph?




Finding Horizontal Vorticity

Remember, the hodograph is a plot of shear vectors




Finding Horizontal Vorticity

Therefore, **horizontal vorticity vectors** are perpendicular and to the left of the **hodograph**!




Finding Horizontal Vorticity

The stronger the **shear** in any given layer, the stronger the **horizontal vorticity**!




Finding Horizontal Vorticity

Which hodograph has the correctly drawn horizontal vorticity vector?




Finding Horizontal Vorticity

Which hodograph has the correctly drawn horizontal vorticity vector?




Great work!




Finding Horizontal Vorticity

Which hodograph has the correctly drawn horizontal vorticity vectors?



Finding Horizontal Vorticity

Which hodograph has the correctly drawn horizontal vorticity vectors?




You got it!

Streamwise vs Crosswise Vorticity


Streamwise vs Crosswise Vorticity

We want to know how a **storm** interacts with this **horizontal vorticity**




Streamwise vs Crosswise Vorticity

Let's compare the **horizontal vorticity** vectors with the **storm-relative wind** vectors



Streamwise vs Crosswise Vorticity


Here, **storm-relative wind** is **parallel** to **horizontal vorticity** (the two are aligned)



Streamwise vs Crosswise Vorticity


Here, **storm-relative wind** is **parallel** to **horizontal vorticity** (the two are aligned)

This is called **streamwise** vorticity!



Streamwise vs Crosswise Vorticity


Here, **storm-relative wind** is **perpendicular** to **horizontal vorticity**
(the two are NOT aligned)



Streamwise vs Crosswise Vorticity

Here, **storm-relative wind** is **perpendicular** to **horizontal vorticity** (the two are NOT aligned)


This is called **crosswise** vorticity.




Streamwise vs Crosswise Vorticity

Hodograph shape (and storm motion) affects streamwise vorticity:

Streamwise vorticity!




Crosswise vorticity



Streamwise vs Crosswise Vorticity


Which hodograph contains more crosswise vorticity?



Streamwise vs Crosswise Vorticity

Which hodograph contains more crosswise vorticity?



You got it!



Streamwise vs Crosswise Vorticity

What happens from Time=0 to Time=1?

- a. Storm loses streamwise vorticity
- a. Storm acquires a greater streamwise vorticity component and can rotate
- a. No change, hodograph remains straight





Streamwise vs Crosswise Vorticity

What happens from Time=0 to Time=1?

- a. Storm loses streamwise vorticity
- a. Storm acquires a greater streamwise vorticity component and can rotate
- a. No change, hodograph remains straight

Yes!




Horizontal Vorticity Summary

1. Horizontal vorticity is always perpendicular and to the left of the shear and therefore the hodograph.
1. The stronger the shear, the stronger the vorticity in that layer.
1. When SR winds are parallel to horizontal vorticity, the vorticity is streamwise. When SR winds are perpendicular to horizontal vorticity, the vorticity is crosswise.
1. Both hodograph shape and storm motion influence development of streamwise and crosswise vorticity.

Lesson 7: Streamwise Vorticity and SRH

Cameron Nixon – Research Scientist, SPC / CIWRO
(cameron.nixon@noaa.gov)


Harry Weinman – Meteorologist, Storm Prediction Center
(harry.weinman@noaa.gov)



Streamwise Vorticity

There are two ways to describe streamwise vorticity:

1. How streamwise is the vorticity?
2. How much streamwise vorticity is there?




Streamwise Vorticity
and Mesocyclogenesis

Streamwiseness

Streamwiseness is how parallel the **storm-relative wind** is to the **horizontal vorticity**


Here, vorticity is purely streamwise.



Streamwiseness


Streamwiseness is how parallel the storm-relative wind is to the horizontal vorticity

Here, vorticity is less streamwise.
(it's at an angle to the inflow)




Streamwiseness

With more streamwiseness, vorticity tends to be aligned with the updraft, so mesocyclogenesis can be faster.




Cameron J. Nixon



Streamwiseness


With less streamwiseness, vorticity tends to be dislocated from the updraft, so mesocyclogenesis may be slower.



Streamwise Vorticity

But streamwiseness doesn't tell the whole story...


The **magnitude** of streamwise vorticity is important!



Streamwise Vorticity


The **magnitude** of streamwise vorticity is important!

Here, there is $.03 \text{ s}^{-1}$ of streamwise vorticity



Streamwise Vorticity


Even if **horizontal vorticity** is not purely streamwise, there may still be a **streamwise component**.



Streamwise Vorticity


Even if **horizontal vorticity** is not purely streamwise, there may still be a **streamwise component**.

Here, there is $.03 \text{ s}^{-1}$ of **streamwise vorticity**




Streamwise Vorticity

With a greater magnitude of streamwise vorticity, mesocyclones can be **stronger** and more persistent.





Streamwise Vorticity

With a lesser magnitude of streamwise vorticity, mesocyclones are generally weaker and more transient.




Streamwise Vorticity

With a lesser magnitude of streamwise vorticity, mesocyclones are generally weaker and more transient.




Streamwise Vorticity

Keep in mind: storm motion affects streamwise vorticity




Streamwise Vorticity

Larger hodograph curvature can maximize streamwise vorticity




Streamwise Vorticity

More backing shear aloft can minimize streamwise vorticity



Streamwise Vorticity

Larger low-level curvature can increase streamwise vorticity




Streamwise Vorticity

Quiz time!

Which of these two hodographs has a greater magnitude of **streamwise vorticity**?

- a. a
- b. b
- c. they both have the same




Streamwise Vorticity

Quiz time!

Which of these two hodographs has a greater magnitude of **streamwise vorticity**?

- a. a
- b. b
- c. they both have the same





Streamwise Vorticity

Quiz time!

Compared to hodograph A, hodograph B shows:

- A lesser magnitude of streamwise vorticity, but this vorticity is more streamwise
- A greater magnitude of streamwise vorticity, but this vorticity is less streamwise





Streamwise Vorticity

Quiz time!

Compared to hodograph A, hodograph B shows:

- A lesser magnitude of streamwise vorticity, but this vorticity is more streamwise
- A greater magnitude of streamwise vorticity, but this vorticity is less streamwise

You're very (stream)wise :)



Storm Relative Helicity (SRH)

The magnitude of streamwise vorticity can be approximated using **SRH**.

$$\text{Storm Relative Helicity (SRH)} = \int_{Zb}^{Vt} (\text{inflow}) \cdot (\text{horizontal vorticity}) dz$$

Storm Relative Helicity (SRH)

The magnitude of streamwise vorticity can be approximated using **SRH**.

$$\text{Storm Relative Helicity (SRH)} = \int_{Z_b}^{V_t} (\text{inflow}) \cdot (\text{horizontal vorticity}) dz$$

|inflow| |horizontal vorticity| cos (theta)

Storm Relative Helicity (SRH)

What if they are perpendicular to each other?

$$\text{Storm Relative Helicity (SRH)} = \int_{Zb}^{Vt} (\text{inflow}) \cdot (\text{horizontal vorticity}) dz$$

|inflow| |horizontal vorticity| cos (theta)

|inflow| |horizontal vorticity| cos (90)

Storm Relative Helicity (SRH)

What if they are perpendicular to each other?

$$\text{Storm Relative Helicity (SRH)} = \int_{Zb}^{Vt} (\text{inflow}) \cdot (\text{horizontal vorticity}) dz$$

|inflow| |horizontal vorticity| cos (theta)


|inflow| |horizontal vorticity| cos (90)

0

Storm Relative Helicity (SRH)


What does this look like on the hodograph?

Streamwise vorticity




Storm Relative Helicity (SRH)

Just take the **area** under the hodograph swept out by the **storm-relative winds** over some depth!



Storm Relative Helicity (SRH)


Where does SRH really matter?



Storm Relative Helicity (SRH)

Where does SRH really matter?



SRH in the lowest kilometer is most relevant for mesocyclogenesis



Storm Relative Helicity (SRH)


Where does SRH really matter?

Effective SRH is necessary when dealing with “elevated” storms



Storm Relative Helicity (SRH)


Remember, *all measures* of streamwise vorticity (including SRH) depend on storm motion.



Storm Relative Helicity (SRH)

Remember, *all measures* of streamwise vorticity (including SRH) depend on storm motion.

In fact, most calculations of SRH use
Bunkers Right Storm Motion




Storm Relative Helicity (SRH)

What about this scenario?

There is lots of 0-1 km SRH, and you're forecasting a slow, southward-moving convective system. Are embedded tornadoes possible?

- Yes, $374 \text{ m}^2/\text{s}^2$ is a lot of SRH
- Be careful, use the right storm motion




Storm Relative Helicity (SRH)

What about this scenario?

There is lots of 0-1 km SRH, and you're forecasting a slow, southward-moving convective system. Are embedded tornadoes possible?


- a. Yes, $374 \text{ m}^2/\text{s}^2$ is a lot of SRH
- b. Be careful, use the right storm motion

Good choice.




Storm Relative Helicity (SRH)

Also keep in mind, SRH is *not just* the streamwise vorticity, but also the strength of the *storm-relative winds*!





Storm Relative Helicity (SRH)

So, despite having **equal SRH**, two hodographs can have *different* magnitudes of streamwise vorticity.




Storm Relative Helicity (SRH)

Which hodograph would you expect to be most conducive to strong low-level mesocyclones?



Storm Relative Helicity (SRH)


Which hodograph would you expect to be most conducive to strong low-level mesocyclones?



That's right! Streamwise vorticity and inflow strength both contribute to SRH

Storm Relative Helicity (SRH)


SRH is a useful and convenient parameter to assess the potential for mesocyclones and tornadoes



Storm Relative Helicity (SRH)

SRH is a useful and convenient parameter to assess the potential for mesocyclones and tornadoes

Just keep in mind that streamwise vorticity and inflow strength can affect storms in different ways!




Streamwise Vorticity Summary

1. The streamwiseness of vorticity can affect how quickly an updraft rotates
2. The magnitude of streamwise vorticity can affect how strong and persistent a mesocyclone can become
3. Storm-Relative Helicity (SRH) is an estimate of streamwise vorticity

Case Study!

2100z: Ample buoyancy exists over your CWA, and storms are beginning to initiate. Looking at the hodograph map, what is *most likely* from initial activity?

- a. Weak multicells (wind)
- a. Splitting supercells (hail+wind)
- a. Strong, right-moving supercells (tor+hail+wind)




Case Study!

2100z: Ample buoyancy exists over your CWA, and storms are beginning to initiate. Looking at the hodograph map, what is *most likely* from initial activity?

- a. Weak multicells (wind)
- a. **Splitting supercells (hail+wind)**
- a. Strong, right-moving supercells (tor+hail+wind)

Correct!




Case Study!

2300z: Now, you examine forecast hodographs.
What should you expect over the next couple hours?

- a. Storms continue to split, and grow upscale (wind)
- a. Left-movers become dominant (hail+wind)
- c. Right-movers become dominant (tor+hail+wind)


Correct!



Case Study!

0000z: The cap is setting in, and CIN is greater than -200 J/kg in some locations!
What do you think will happen next?

- a. All storms should dissipate.
That's a lot of CIN!
- a. Some storms will dissipate, but
supercells can persist
- a. All storms should persist




Case Study!

0000z: The cap is setting in, and CIN is greater than -200 J/kg in some locations!
What do you think will happen next?



- a. All storms should dissipate.
That's a lot of CIN!
- a. Some storms will dissipate, but
supercells can persist
- a. All storms should persist

Good call!




Case Study!

Summary




Strait Hodograph



When an initial updraft forms...


1. Purely *crosswise vorticity* (no SRH) for initial updraft.
2. Initial updraft not rotating because none of the inflow is aligned with the vorticity (inflow vectors normal to vorticity vectors).
3. The initial updraft draws the horizontal vorticity upward, resulting in two new updrafts: one to the right of the shear vector, the other to the left -- see below.




After initial updraft tilts vorticity into the vertical, creating two new updrafts...

1. New updrafts to the left and right of deep-shear vector gain rotation as they are now aligned with the vorticity **tilted into the vertical**. There is also an added contribution to updraft rotation from the now *non-zero SRH* (inflow vectors and vorticity vectors have a parallel/antiparallel component).
2. Both updrafts are neither enhanced nor suppressed with this hodograph shape, with mirror-image cell splitting.
3. The survival of both left and right members can introduce higher potential for cell interactions, fostering the potential for upscale growth.

Single Convex Hodograph




1. Within a layer containing hodograph concavity, dynamic lifting/suppression occurs on the concave/convex side of the initial updraft, relative to the deep shear vector (the vector can be transposed anywhere on the coordinate system).
2. The concave side of this hodograph favors dynamic lifting to the right of the initial updraft relative to the shear vector -- i.e., dominant right-mover (following Bunkers motion). The convex side of this hodograph yields left-of-shear dynamic suppression -- i.e., vanishing left-mover.
3. Also, area swept out between inflow vectors and the hodograph (i.e., SRH) increases with the hodograph bow, resulting in much more efficient mesocyclogenesis.



1. The concave side of this hodograph favors left-of-shear dynamic lifting -- i.e., dominant left-mover (following Bunkers motion). The convex side of this hodograph yields right-of-shear dynamic suppression -- i.e., vanishing right-mover.
2. Negative SRH given counter-clockwise hodograph bow favors efficient meso-anticyclone-enhancement for left-mover.

Multi-Inflection Hodograph



1. Both right and left members are enhanced **and** suppressed at alternating levels in the vertical -- separated by / inflection points.
2. Lift ✓ for **right member** in lower and upper levels of hodograph, suppression X for **right member** at middle levels.
3. Lift ✓ for **left member** in middle levels of hodograph, suppression X for **left member** at lower and upper levels.
4. SRH beneath the second inflection is reduced by the hodograph concavity alternation, and weak storm-relative flow between the first and second inflections results in updraft seeding and precipitation drag suppressing the updraft.
5. Both members of the split survive in a degraded manner, sometimes yielding convective clustering/upscale growth.
6. The larger the looping action, the more induced vertical motion.

✓✓ means more lift than ✓

xx means more suppression than X

Note: RM and LM as marked on hodographs do **not** indicate a storm motion vector (use Bunkers supercell motion). However, RM and LM make reference to the updraft members on either side of the deep-shear vector (right and left, respectively) that potentially experience additional dynamic lifting/subsidence, specifically owing to the updraft-in-shear effect.

Additional Examples



1. Unidirectional shear profile, though still a veering hodograph.
2. This hodograph favors splitting mirror-image cells, with no enhancement or suppression for either member.
3. This has less suppressive effects compared to a looping hodograph with multiple inflections.



1. For RM (as an example), suppressive effects from hodograph concavity alternations have greatest destructive effects on updrafts when they're in **the effective-inflow layer** (as above).
2. SRH is much reduced with this hodograph shape, in addition to the dynamic suppressive effects fostering upscale growth.



1. For RM (as an example), these concavity alternations will be much less detrimental on the updraft, as they are located well above **the effective-inflow layer**.
2. The source region (where updrafts get their start) is not disrupted by dynamic subsidence -- owing to the favorable single/dominant concavity seen in the lower and middle levels.